

Collection no. 179

Coast + Tablelands,

N.S.W.

K.H.L. Key

6-10/1/1973

46728.6. Tallong.

734.1. Wingello

737.7. Penrose

740.8. Gentle slope with white sandy
Psidium myrsinoides
soil. *E. sieberiana*, *E. consideiana*, *E.*

piperita & occ. *E. haemastoma* or *micrantha*
to 60ft dense, with mixed shrubs to 4ft.
incl. *Banksia* sp., *Persea* sp., *Daviesia*
sp., *Acacia* sp., *Heterophylla* sp., & lower
heathy plants with *Caustis* sp. & *Isopogon*
sp. to 3ft, & some lower grasses in
places, occ. *Leschenaultia* & *Goodenia* (?)
to 6in, occ. *Xanthorrhoea* sp., patches
of lilies. *Tympanophora* ~~apparently~~
on *Caustis*, *Psidium* apparently 20.
Phaul. vittatum.

743.5. Bundanoon.

7/1.

747.5. Bundanoon depart on Penrose road.

748.6. Gentle rise with open *E. halma-*
Padmura musgravi, *morabui* sp. P105, *Tetrix* sp.,
stoma or *merantha* to 50ft. Probably
Gonoclea sp., *Escama includens*, *Cirphula* *Pyrrhocoridae*,
 partly cleared; partly ploughed. *Lambertia*
Proscihulus ^{*insolens*} *Monstria concinna*
 sp., *Hakea* sp., *Banksia* sp., *Leptospermum*
 sp. to 2ft, *Shipa* sp. & other grasses thin
 to 2-3ft, *Goodenia* sp. & occ. *Dampiera*
 ? *stricta* + *Paterosonia*
 sp. to 9 in, *Haemadornum* scattered about,
Lyrus sp. & *Cyperaceae* to 10 in
 other low herbs & shrublets. *Monstria*
 apparently
 associated with *Goodenia*.

749.5. low-lying area margining swamp.
Proscihulus ^{*insolens*}
 white sand. *E. haemastoma* (?) to 40ft
 with *Lambertia*, *Hakea* ^{sp.}, *Persoonia*,
Banksia, ^{*Petrophila*} ~~*Proscihulus*~~ & other shrubs to 3ft,
Shipa sp. occ. to 3ft, *Lomandra* sp., *Paterosonia*,
Dampiera (2), *Goodenia* (?), with *Cyperaceae*
 occ. to 10 in.

750.1. Return.

8/1.

897.4. Junction of Prince's Highway &
 Audley roads. Took former.

899.7. Engadine railway station.

901.1. Heathcote railway station.

904.6. Waterfall

905.7. Heath in depression. Pale sand, occ

Phaula ~~*Minyacris*~~ *namana*, *Plakesia brunnea*
flat sandstone exposures. *Angophora* sp.
2 to 4ft,
Acacia sp., *Hakea* spp. (2), *Leptospermum* sp.

Occ. *Xanthorrhoea*, Cyperaceae or Restionaceae
to 2ft. *Exuma*, *Gastromargus*.

910.4. Turn-off to Stanwell Park.

912.7. Rise with white sand & occ. flat sandstone
Psedmura musgravei, *Morabine* sp. P105, *Paraleptocarpus*
outcrops. Heath to 3ft produced by removing
Staphylea, *Macrotona*, *dussholtsii*
low dry sclerophyll forest under power line.

Banksia spp. (2), *Hakea* spp. (2), *Leptospermum*
sp., *Xanthorrhoea* (acauliscent), *Casuarina*
sp. occ. all to 2-3ft, sedges or restios to
18in esp. dense in patches, occ. forbs. *Exuma*

Phaul. *villosatum*

914.8. Gentle slope with pale sand, apparently

Psedmura musgravei, *Morabine* sp. P105, *Monistria*
naturally treeless heath. Mainly to 1ft,
discrepans
with stunted *Banksia* spp. (2), *Hakea* sp.,

Personia sp., *Leptospermum* sp.,
Zsopogon sp. & *Casuarina* sp., all widely
 spaced, between ^{them} acanthescent *Xanthorrhoea*,
Cyperaceae or *rikiaceae*, occ. *Tyris*,
Haemadorum very abundant, occ. thin
Dampiera stricta
 patches ~~*Scaevola* (?)~~ (*spic.*) & *Goodenia* sp. (?).
Bauera sp. in places to 4 in.
Moussieria on ~~*Scaevola* (?)~~ *Dampiera*

9/1.

46936.9. Wollongong. Proceeded south.

938.2. Turned off for Mt. Keira.

939.3. Mt. Keira P.O.

942.2. Turned right for Mt. Keira ^{Summit} Look-out.

943.0. Mt. Keira summit. ~~Rubrum~~
^{dense}

E. sieberiana & *Syncaespia* to 70ft., *Banksia*
 sp. to 15ft, regrowth of mainly *Syncaespia*
 to 10ft, *Lomandra* sp. to 2ft. ^{*Tetralix* sp.} *Tetragids* on
 partly bare, partly leaf-littered path. Pale
 grey sand. Rubrum.

943.8 = 942.2

944.1. Road to Keton^{off} on left.

945.6. Turned left into Mt. Oudley road (?)

946.1. Road to Picton off to left.

951.7. Turn-off to Bulli Pass on right.

952.3. Turned right for Bulli Look-out.

952.4. Bulli Look-out.

[N.B. All these milages are on old Prince's Highway, not on expressway now under construction.]

952.6 = 952.3

952.8. Road off to Appin on left.

953.8. Turned right for Sublime Point.

954.3 = 953.8. Turned left.

955.3. Turned right for Appin.

956.5. Loddon River.

956.7. Gentle slope down from sandstone
Monistria discrepans, *Gomphocarpus australasicus*,
 rise. white sand. *E. Seeborniana* & *E.*
morabine sp. P105, *Girphula pyrohoemesis*, *Escaema*
hamastoma/micrantha to 25ft. fungus
incluens, *Macrotona australis*, *Rhizoglyphus modesta*,
 heath on sapage slope. *Banksia* sp., *Hakea*
Prednura musgravei
 sp., *Leptospermum* sp to 2ft, *Cyperaceae*/
restionaceae & acaulescent *Xanthorrhoea*
 to 1ft, *Himantopus* *Seacala* (2) + *Goodenia* (2) to
Goodenia stelligera

9 in. interspersed with shrubs & sedges on
 borders of heath patch & edge of timber.
 Scattered *Haemadorum* & *Islandfordia*. *Dampiera*
/Monarda associated with ~~*Scaevola*~~.

numerous nymphs present. Phaul. vitt.,
Gaster.

961.9. Turned left.

964.5. Cataract Dam. Return.

967.1. = 961.9. Turned left.

970.9. Appin.

974.4. Cataract R.

974.8. Top of Broughton Pass. *E. haemastoma*
Coryphistes ruficola, *Goniaca opomaloides*
micrantha & a grey-gum to 40ft, & a

very narrow-leaved *Angophora* to 25ft.

Healthy understorey. Pale sandy soil.

975.7. Road off to left to Wollongong.

977.7. Wilton. Return.

979.5. Turned right.

983.1. Gentle undulations. Brown soil
Podiuma musgravei
 with stony surface. *E. haemastoma*/
micrantha & *E. gunnifera* to 60ft with

Banksia sp., *Acacia* spp. (2), *Hakea* spp. (2).
Isopogon sp., *Petrophila* sp., *Persea* sp.,
Leptospermum sp. + epacids to 3 ft, *Themeda*
 australis/ ^{to 2 ft} *Poa australis* to 10 in frequent,
 occ. *Leschenaultia* (?) + *Goodenia* (?), occ.
 sedges/restionaceae.

985.2. Turned right.

987.2 *Cordeana* Dam. Return.

989.4 = 985.2. Turned right.

992.1. Swamp heath on margin of depression
<sup>*Leucospermum* sp. 1, *Monistria* *delicata*, *Rhizala*
modesta, *Goniaca* *opomaloidea*</sup>
 leading to swamp + bounded by E.
haemastoma/micrantha + E. *siebeniana*
 to 60 ft. *Banksia* sp. to 8 ft, *Banksia* spp
 (2), *Hakea* sp., *Leptospermum* spp., all to 3 ft,
 cyperaceae/restionaceae to 1 ft, scattering
^{*Dampiera stricta*}
 of ~~*Scaevola*~~ + *Goodenia* spp. to 9 in.
Monistria associated with ^{*Dampiera*} ~~*Scaevola*~~.

996.7. Mt. Keira road off to right. Took
 Mt. Oudley road.

998.8 Road junction. Turned R.

47014 .8 Primbée (some waste of miles).

019.8 Windang (more wasted miles)

10/1.

023.8 Shellharbour.

026.8 Bass Point. Cast., Phaul. with Return.

030.0 Shellharbour.

037.6 Kiama

042.8 Turned left.

044.0 Gerringong

046.2 Crossed river. Extensive Caravan camp.

047.3 Start of Seven Mile Beach State Park on left.

048.6 Turned left.

048.9 Beach. Return.

053.7 Berry.

162.1 Edge of ^{margining lake,} swamps fringed with
^{Schinus molle} *Casuarina glauca* ^{10-25 ft.} ^{flavibattatus,} ^{Cyperaceae/Restionaceae}
^{Atractomorphus} ^{1-3 ft.} ^{australis}
 of several species with *Zorua* + other
^{a monocult}
 grasses + *Goodenia* sp. forming mats

to 2 in. Apparently suitable for *Pseudomus pedeshis* (at least): none seen.

162.2. Coila Creek.

163.1. Road off to left to Turons Heads.

169.1. Bodalla.

176.1. Turned left.

178.0. Dalmeny.